



Forest Productivity (Tree Site Index): Douglas-fir (King 1966 (795))—Alesa Area, Oregon
(Cow Lincoln)



Soil Map may not be valid at this scale.




MAP LEGEND

Area of Interest (AOI)





 Area of Interest (AOI)

Background





 Aerial Photography

Soils





Soil Rating Polygons

-  ≤ 118
-  > 118 and ≤ 125
-  > 125 and ≤ 137
-  Not rated or not available


Soil Rating Lines

-  ≤ 118
-  > 118 and ≤ 125
-  > 125 and ≤ 137
-  Not rated or not available





Soil Rating Points

-  ≤ 118
-  > 118 and ≤ 125
-  > 125 and ≤ 137
-  Not rated or not available

Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Alea Area, Oregon
Survey Area Data: Version 16, Jun 11, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 23, 2020—May 28, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Forest Productivity (Tree Site Index): Douglas-fir (King 1966 (795))

Map unit symbol	Map unit name	Rating (feet)	Acres in AOI	Percent of AOI
AaA	Aalsea loam, 0 to 3 percent slopes		8.7	6.4%
BeE	Blachly clay loam, uneven, 25 to 37 percent slopes	125	0.4	0.3%
BIG	Bohannon gravelly loam, 50 to 75 percent slopes	118	0.8	0.6%
BnG	Bohannon gravelly loam, dissected, 50 to 90 percent slopes	118	47.7	34.7%
BnE	Bohannon gravelly loam, ridge, 25 to 37 percent slopes	118	7.9	5.7%
BnF	Bohannon gravelly loam, ridge, 37 to 50 percent slopes	118	3.4	2.5%
SsF	Slickrock gravelly loam, 37 to 50 percent slopes	137	65.0	47.2%
StE	Slickrock gravelly loam, dissected, 25 to 37 percent slopes	137	2.0	1.4%
SuE	Slickrock gravelly loam, seeped, 10 to 35 percent slopes	137	0.0	0.0%
W	Water		1.8	1.3%
Totals for Area of Interest			137.7	100.0%

Description

The "site index" is the average height, in feet, that dominant and codominant trees of a given species attain in a specified number of years. The site index applies to fully stocked, even-aged, unmanaged stands.

This attribute is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this attribute, only the representative value is used.

Rating Options

Units of Measure: feet

Tree: Douglas-fir

Site Index Base: King 1966 (795)

Aggregation Method: Dominant Component

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

Interpret Nulls as Zero: No